

DS-KH6220-LE1

Video Intercom Network Indoor Station

HIKVISION®



www.vigilanciainteligente.com

Tel: San Borja 924 616170 / 945 509622

La Molina 01 6409957 / 950 412169



Key Feature


- Standard PoE
- 7-inch colorful non-touch screen with resolution 1024 × 600
- Views live video of door stations and linked cameras

Specification

System Parameters	
Operation Method	Physical button
Operation System	Embedded RTOS operation system
Memory	64 MB
Flash	16 MB
Network parameters	
Network protocol	TCP/IP, SIP, RTSP
Network interface	1 × RJ45, support PoE
Wired network interface	10/100 Mbps self-adaptive
Audio parameters	
Audio input	Build-in omnidirectional microphone
Audio output	Built-in loudspeaker
Audio compression standard	G.711U
Audio compression rate	64 Kbps
Audio quality	Noise suppression and echo cancellation
General	


Power supply	12 VDC or standard POE
Power consumption	≤ 6 W
Working temperature	-10 ° C to 55 ° C (-14 ° F to 131 ° F)
Working humidity	10% to 90%
Dimension (W × H × D)	200 mm × 140 mm × 23.1 mm (7.87" × 5.51" × 0.69")
Weight	683 g (with packaging) 355 g (without packaging)
Display Parameters	
Display Screen	7-inch TFT LCD
Display Resolution	1024 × 600
Device interfaces	
Alarm input	8 zones alarm input
Button	4 physical button

Physical Interface



No.	Description	No.	Description
1	Screen	7	Debugging Port
2	Microphone	8	Network Interface
3	Call Button	9	Loudspeaker
4	Unlock Button	10	Alarm Terminal
5	Monitor Button	11	Power Terminal
6	Call Center Button		

Dimension



Available Model

DS-KH6220-LE1

Distributed by

www.vigilanciainteligente.comTel: San Borja 924 616170 / 945 509622
La Molina 01 6409957 / 950 412169**HIKVISION®****Headquarters**No.555 Qianmo Road, Binjiang District,
Hangzhou 310051, China
T +86-571-8807-5998
overseasbusiness@hikvision.com**Hikvision USA**T +1-909-895-0400
sales.usa@hikvision.com**Hikvision Australia**T +61-2-8599-4233
salesau@hikvision.com**Hikvision India**T +91-22-28469900
sales@pramahikvision.com**Hikvision Canada**T +1-866-200-6690
sales.canada@hikvision.com**Hikvision Thailand**T +662-275-9949
sales.thailand@hikvision.com**Hikvision Europe**T +31-23-5542770
sales.eu@hikvision.com**Hikvision Italy**T +39-0438-6902
info.it@hikvision.com**Hikvision Brazil**T +55 11 3318-0050
Latam.support@hikvision.com**Hikvision Turkey**T +90 (216)521 7070- 7074
sales.tr@hikvision.com**Hikvision Malaysia**T +601-7652-2413
sales.my@hikvision.com**Hikvision UK & Ireland**T +01628-902140
sales.uk@hikvision.com**Hikvision South Africa**Tel: +27 (10) 0351172
sale.africa@hikvision.com**Hikvision France**T +33(0)1-85-330-450
info.fr@hikvision.com**Hikvision Kazakhstan**T +7-727-9730667
nikia.panfilov@hikvision.ru**Hikvision Vietnam**T +84-974270888
sales.vt@hikvision.com**Hikvision UAE**T +971-4-4432090
salesme@hikvision.com**Hikvision Singapore**T +65-6684-4718
sg@hikvision.com**Hikvision Spain**T +34-91-737-16-55
info.es@hikvision.com**Hikvision Tashkent**T +99-87-1238-9438
uzb@hikvision.ru**Hikvision Hong Kong**T +852-2151-1761
info.hk@hikvision.com**Hikvision Russia**T +7-495-669-67-99
saleru@hikvision.com**Hikvision Korea**T +82-(0)31-731-8817
sales.korea@hikvision.com**Hikvision Poland**T +48-22-460-01-50
info.pl@hikvision.com**Hikvision Indonesia**T +62-21-2933759
Sales.Indonesia@hikvision.com**Hikvision Colombia**sales.colombia@hikvision.com